## **AMENDMENTS TO THE CLAIMS:**

Please cancel claims 2 and 18.

Please amend claims 1, 4, 17, 19, 20, 23, and 24 as follows.

#### LISTING OF THE CLAIMS

The listing of claims will replace all prior versions, and listings of claims in the application:

1. (Currently Amended) An ink container comprising:

a housing having a chamber formed therein for receiving ink and a surface including an outlet passage communicating with the chamber and through which ink is dispensed; and

an air impermeable, non-porous seal member received in the outlet passage, said seal member comprising raised portions on a substantially V-shaped first surface having a first vertex and a substantially V-shaped second surface having a second vertex, wherein said surfaces are on opposite sides of said member, and said surfaces are adapted to be compressed when said seal member is installed in said outlet passage.

# 2. (Cancelled)

- 3. (Original) The ink container of claim 1, further comprising a cap member having a recess for receiving said outlet passage.
- 4. (Currently Amended) The ink container of claim 3, wherein an outer terminal end of said outlet passage comprises a <u>generally triangular-shaped</u> rib extending at least partially along a circumference thereof for contacting and thermally bonding said cap to said outlet passage.

- 5. (Previously Presented) The ink container of claim 3, wherein said seal is adapted to be linearly compressed between said cap and said outlet passage.
  - 6. (Original) The ink container of claim 3, wherein said cap is formed of plastic.
- 7. (Original) The ink container of claim 1, wherein said seal member is formed of a rubber.
- 8. (Original) The ink container of claim 1, wherein the seal member is formed of a polyvinyl chloride (PVC).
- 9. (Original) The ink container of claim 1 wherein said seal member is formed of a thermoplastic rubber.
- 10. (Original) The ink container of claim 1 wherein said seal member is formed of silicone rubber.
- 11. (Previously Presented) The ink container of claim 1, wherein said seal member engages an inner wall of said outlet passage.
- 12. (Previously Presented) The ink container of claim 1 wherein the seal member includes a thin membrane extending across the first surface of said seal member, said thin membrane adapted to be selectively pierced by an associated needle of an associated printer.
- 13. (Original) The ink container of claim 1 wherein the seal member has a substantially disk shape.

14. (Previously Presented) The ink container of claim 13 wherein the outlet passage includes a counterbore at an outer terminal end that receives the disk-shaped seal member therein.

## 15. (Cancelled)

16. (Previously Presented) A method of sealing an outlet port of an ink container, comprising:

inserting a generally annular-shaped seal member into a counterbore of said outlet port formed at an outer terminal end portion of said outlet port;

placing a cap member over said outer portion of said outlet port; linearly compressing said seal member between said cap and outlet port; and welding said cap member to said outlet port.

17. (Currently Amended) The method of claim 16, wherein said seal member comprises ridges formed on a <u>substantially V-shaped</u> first and second surfaces of said seal member, wherein said <u>substantially V-shaped surfaces</u> ridges are contacted by said cap member and said outer terminal end portion of said outlet port during compression.

### 18. (Cancelled)

- 19. (Currently Amended) The method of claim [[18]] 16, wherein said outlet passage port comprises a generally triangular-shaped rib on said outer terminal end portion thereof which contacts said cap and is melted via welding until substantially flush with said outer surface portion.
- 20. (Currently Amended) The method of claim 16, wherein said seal member engages an inner wall of said outlet passage port.

- 21. (Previously Presented) The method of claim 16, wherein the seal member includes a thin membrane extending across an inner periphery of said seal member adjacent a first surface of said seal member.
- 22. (Original) The method of claim 16, wherein the seal member has a substantially disk shape.
  - 23. (Currently Amended) A seal member for an ink container, comprising: a lower surface;

an upper surface located on an opposite side of said seal member from said lower surface;

[[a]] an outer sidewall extending between said lower and upper surfaces, said sidewall having a tapered surface extending between and connecting said lower surface and said upper surface, wherein said upper surface has a larger diameter than said lower surface;

wherein said seal member has a substantially disk shape;

wherein said lower and upper surfaces each comprises a raised portion extending across said surfaces.

- 24. (Currently Amended) The said member of claim 23, wherein said <u>upper and</u> <u>lower surfaces</u> raised portions are substantially V-shaped.
- 25. (Original) The seal member of claim 23, wherein said seal member is formed of a rubber.
- 26. (Original) The seal member of claim 23, wherein the seal member is formed of a polyvinyl chloride (PVC).

- 27. (Original) The seal member of claim 23 wherein said seal member is formed of a thermoplastic rubber.
- 28. (Previously Presented) The seal member of claim 23 wherein the seal member includes a thin membrane extending across said lower surface of said seal member.
- 29. (Previously Presented) The seal member of claim 23 wherein said upper and lower surfaces of the seal member together form a generally toroidal-shaped portion.